FIG.1






FIG.2




Inventor. MATSUBARA, G. et al.
SN unknown/Sheet 3 of 12
Atty. Dkt.: 914-148

FIG.3



Inventor: MATSUBARA, G. et al. SN unknown/Sheet 4 of 12 Atty. Dkt.: 914-148

FIG.4



Inventor: MATSUBARA, G. et al.
SN unknown/Sheet 5 of 12
Atty. Dkt.: 914-148

FIG.5A




FIG.5B




FIG.5C




FIG.6

| USAGE TIME LENGTH T | CHARGE VOLTAGE V | END VOLTAGE VTH |
|-----------------------------|------------------|-----------------|
| STAY OVER ONE NIGHT, 2 DAYS | 2.0 | 1.50 |
| STAY OVER 2 NIGHTS, 3 DAYS | 2.0 | 1.25 |
| | | ••• |
| STAY OVER 6 NIGHTS, 7 DAYS | 3.0 | 1.00 |

FIG.7




FIG.8






FIG.9A




Inventor: MATSUBARA, G. et al. SN unknown/Sheet 9 of 12 Atty. Dkt.: 914-148

FIG.10




Inventor: MATSUBARA, G. et al.
SN unknown/Sheet 10 of 12
Atty. Dkt.: 914-148

FIG.11



Inventor: MATSUBARA, G. et al.
SN unknown/Sheet 11 of 12
Atty. Dkt.: 914-148

FIG.12



Inventor. MATSUBARA, G. et al. SN unknown/Sheet 12 of 12 Atty. Dkt.: 914-148

FIG.13

